during the corresponding week of the previous year, giving a calculated death rate of 9.0 (nil excluding hospital deaths) per mille of population (mid-year estimated) as against 5.5 ( 5.5 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of death 28 were due to all other causes *as against* 1 due to other fevers, 1 due to Dysentery and Diarrhoea and 14 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Belgaum City amounted to 37 ( 21 in hospitals) for the week *as against* 3 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 13.9 (6.0 excluding hospital deaths) per mille of population (mid-year estimated), *as against* 1.1 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths 1 was due to other fevers, 1 due to Dysentery and Diarrhoea, 2 due to consumption and 33 due to all other causes, *as against* 3 due to all other causes, reported during the corresponding week of the previous year.

The total mortality for Mangalore City amounted to 31 (20 in hospitals) for the week *as against* 8 ( nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 10.5 (3.7 excluding hospital deaths) per mille of population (mid year estimated) *as against* 2.8 ( nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 4 were due to other fevers, 1 due to Dysentery and Diarrhoea and 26 due to all other causes *as against* 8 due to all other causes reported during the corresponding week of the previous year.

113 ....., *Deputy Director.*

## MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

Notification dated 2nd September 1965.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE WEEK ENDING SATURDAY THE 28TH AUGUST 1965.

**No. VS. 35/SPH/65--66.** The State remained free from plague during the week as in the previous week Comparative figures for the corresponding week during 1963 and 1964 were 5 attacks with nil deaths and nil attacks with nil deaths respectively.

A total of 34 attacks with 13 deaths from Smallpox was reported for the entire State *viz.*, from the taluks of Doddballapur, T. Narsipura, Krishnarajpet, Bellary, Manvi and Kudligi *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

A total of 34 attacks with 12 deaths from Cholera was reported for the entire State *viz.*, from the taluks of Shimoga and Bhadravathi and from the towns of Shimoga and Bhadravathi and from the city of Davangere during the week *as against* 35 attacks with 13 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K.F. Disease was reported from Shimoga District, *as against* 2 attacks with nil deaths reported during the corresponding week of the previous year.

The State remained free from Yellow fever, relapsing fever, Infectious Hepatites and Influenza in epdemic form, *as against* nil attacks with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 267 (96 in hospitals) for the week *as against* 326 (131 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 14. 4 (9 3 excluding hospital deaths) per mile of population (mid-year estimated) *as against* 17. 9 (10. 7 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 7 were due to other fevers, 31 due to Dysentery and Diarrhoea, 10 due to Consumption and 216 due to all other causes *as against* 19 due to other fevers, 27 due to Dysentery and Diarrhoea, 15 due to Consumption and 265 due to all other causes reported during the corresponding week of the previous year.

The reports for Mysore and K. G. F. have not been received.

The total mortality for Belgaum city amounted to 37 (1 in hospitals) for the week *as against* 14 (nil in hospital) during the corresponding week of the previous year, giving a calculated death rate of 13. 9 (7. 5 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 5. 4 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 1 was due to Malaria, 3 due to other fevers, 1 due to Dysentery and Diarrhea, 2 due to Consumption and 30 due to all other causes. *as against* 1 due to other fevers, 1 due to all other causes reported during the corresponding week of the previous year.

The total mortality for Mangalore city amounted to 46 (40 in hospitals) for the week *as aaginst* 14 (nil in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15. 5 (2. 0 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 4.8 (nil excluding hospital deaths) for the corresponding week of the last year. Classified according to causes of deaths, 3 were due to other fevers, one due to Consumption and 42 due to all other causes *as against* 14 due to all other causes reported during the corresponding week of the previous year.

119 ....., *Dy. Director.*

Printed by the Director of Printing, Stationery and Publications at the Govt. Press, Bangalore.

(g) Available except in Mundargi taluk, where scarcity for fodder was felt.
(h) Generally healthy except for the prevalence of cattle disease at one village of Navalgund taluk.

14 North Kanara District.—

(a) Sufficient rainfall in Mundgod, Honnawar, Kumta, Ankola, Haliyal, Yellapur, Karwar and Siddapur taluks.
(b) Transplantation of Paddy in Mundgod and Yellapur taluks was in propress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 7 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy except for the prevalence of Cattle disease at one village of Mundgod taluk.

15 Gulbarga District.—

(a) Sufficient rainfall in Sedam, Shorapur, Yadgir, Chincholi and Gulbarga taluks.
(b) Sowing of Kharif crops was almost completed in most of the taluks.
(c) Fair except in Yadagir taluk where Kharif crops were withering for want of rains.
(d) Harvesting of green gram was in progress in Yadgir taluk.
(e) Progress was fair in 6 taluks.
(f) Sufficient except in Chincholi taluk where insufficiency of water was felt.
(g) Available.
(h) Generally healthy except for the prevalence of Blackquarter at one village of Yadgir taluk.

16 Raichur District.—

(a) Sufficient rainfall in Kushtagi, Yelburga and Sindhanoor Taluks.
(b) Sowing and Transplantation of Paddy in Manvi taluk, Kharif crops in Yelburga, Sindhnoor and Gangavathi taluks was in progress.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 4 Taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

17 Bidar District.— Reports not received.—

18 South Kanara.—

(a) Sufficient rainfall in Puttur, Belthangadi, Karkala and Coondapur Taluks.
(b) Completed.
(c) Standing crops were fair.
(d) Nil.
(e) Progress was fair in 2 taluks.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

19 Coorg District.—

(a) Sufficient rainfall in Somwarpet Taluk.
(b) Nil.
(c) Standing crops were fair.
(d) Nil.
(e) Nil.
(f) Sufficient.
(g) Available.
(h) Generally healthy.

M. GANGARUDRAIAH, For *Director of Statistics*.

## Consolidated Statement showing the Monthly Weather and Crop Abstract for the month of April 1965.

| Rainfall | | | | Nave Paise estimates of out-turn of important crops. | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Scanty 0 per cent to 40 per cent of normal | Deficient 41 per cent to 80 per cent of normal. | Normal 81 per cent to 120 per cent of normal. | Excessive 121 per cent and over of normal. | Paddy | Ragi | Jowar | Bajra | Sugarcane | Other Crops |
| 1 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |

1. Bangalore District.

... ... ...

2. Kolar District.

62 ...

3. Tumkur District.

65 ...

4. Mysore District.

68 28 ... 48
(Avg. of 2 taluks) (Avg. of 2 taluks)

5. Mandya District.

Scanty 75 50

6. Hassan District.

... 69 43

7. Chickmagalur District.

... 56 44

8. Shimoga District.

| | | | | | |
|---|---|---|---|---|---|
| | | 62 | 62 | | G. nut—62, Arecca—75 Pulses—56. |

9. Chitaldurga District.

| | | | | | |
|---|---|---|---|---|---|
| Excessive | | ... | ... | | |

10. Bellary District.

| | | | | | |
|---|---|---|---|---|---|
| | | 52 (Avg. of 3 tqs.) | 47 (Average of 2 talukS) | 56 50 | 58 (Avg. of 3 Tqs.) |

11. Bijapur District.

| | | | | | |
|---|---|---|---|---|---|
| ... | ... | 62 | ... | | Cotton—37, Wheat—37. |

12. Belgaum District.

| | | | | | |
|---|---|---|---|---|---|
| Normal | | 53 | 41 | | Wheat—40, Cotton—34, Chillies—44, Tobacco—44. |

13. Dharwar District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | 43 | 43 | 43 | Wheat—41. Cotton—40, G. nut—46. Safflower—37. |

14. North Kanara District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | 51 | 46 | 53 | Coconut—50. Betelnut—47, Pepper—45, G. nut—50. |

15. Gulbarga District.

| | | | | | |
|---|---|---|---|---|---|
| Scanty | | | ... ... | | |

16. Raichur District.

| | | | | | |
|---|---|---|---|---|---|
| Scanty | | | ... .. | | |

17. South Kanara District.

| | | | | | |
|---|---|---|---|---|---|
| Normal | ... | ... | ... | ... | |

18. Bidar District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | 60 | ... | | |

19. Coorg District.

| | | | | | |
|---|---|---|---|---|---|
| | ... | ... | — | ..... | |

M. GANGARUDRIAH,
For *Director of Statistics.*

## Statement showing of Monthly Weather and Crop Report for April 1965.

Note.—(a) Denotes Conditions of Water Supply
(b) ,, Sowing/Transplantation.
(c) ,, Standing Crops.
(d) ,, Harvest.
(e) ,, Fodder and Pasture
(f) ,, Cattle.
(g) ,, Rainfall.
(h) ,, Damage to crops.
(i) ,, Remarks.

1 Bangalore District.—

(a) Sufficient
(b) Nil.
(c) Generally fair
(d) Nil
(e) Available
(f) Generally healthy.
(g) Deficient.
(h) Nil
(i) Refers to 7 taluks.

2 Kolar District.—

(a) Sufficient.
(b) Nil.
(c) Standing Crops such as paddy, Sugarcane and Chillies were fair.
(d) Harvesting of Sugarcane was in progress.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) Nil.
(i) .....

3 Tumkur District.—

(a) Sufficient.
(b) Transplantation of Paddy was in progress in Chicknayakanhalli taluk.
(c) Standing Crops were fair.
(d) Harvesting of Sugarcane in Koratagere taluk and Paddy in Koratagere and Madhugiri taluks was in progress.
(e) Available
(f) Generally healthy.
(g) Deficient
(h) Nil.
(i) Refers to 8 taluks,

4 Mysore District.—

(a) Sufficient.
(b) Sowing of jowar and G. nut in Gundlupet taluk was in progress. Jowar was completed in Chamarajanagar, Kollegal and Mysore taluks.
(c) Standing Crops were fair.
(d) Nil
(e) Available.
(f) Generally healthy.
(g) Normal
(h) Nil
(i) Refers to 7 taluks.

5 Mandya District.—

(a) Sufficient.
(b) Transplantation of Kar-Paddy and Ragi in Malavalli taluk, Sugarcane in Maddur taluk and sowing of jowar in Pandavapura taluk were in progress.
(c) Standing Crops were fair.
(d) Sugarcane was being harvested in Mandya and Maddur taluks.
(e) Available.
(f) Generally Healthy.
(g) Scanty
(h) Nil
(i) .....

6 Hassan District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Scanty.
(h) ...
(i) Refers to 5 taluks.

7 Chickmagalur District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy
(g) Scanty
(h) .....
(i) Refers to 5 taluks.

8 Shimoga District.—

(a) Sufficient.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally healthy.
(g) Deficient.
(h) .....
(i) .....

9 Chitradurga District.—

(a) Sufficient.
(b) Sowing of G. nut and transplantation of Paddy in Challakere taluk was in progress.
(c) Generally fair.
(d) Hervesting of paddy in Challakere, Molakalmuru and Chitradurga taluks and Picking up of Cotton in Davanagere taluk was in progress.
(e) Available.
(f) Good except for the prevalence of "Black Quarter" at 1 village of Challakere taluk.
(g) Excessive.
(h) Nil.
(i) .....

10 Bellary District.—

(a) Sufficient except in some parts of Siruguppa taluk.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Cotton in Harapanahalli and Hadagalli taluks Sugarcane and paddy in Kudligi and Siruguppa taluks was in progress.
(e) Available.
(f) Good except for the prevalence of Cattle disease in some villages of Siruguppa taluk.
(g) Scanty.
(h) Nil.
(i) Refers to 6 taluks.

11 Bijapur District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Scanty.
(h) Nil
(i) .....

12 Belgaum District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal.
(h) Nil
(i) .....

13 Dharwar District.—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi, Jowar and Cotton had been completed.
(e) Available.
(f) Generally Good.
(g) ...
(h) Nil.
(i) Refers to 3 taluks.

14 North Kanara District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Harvesting of Rabi crop and Sugarcane was nearing completion in all the taluks.
(e) Available.
(f) Good except for the prevalence of cattle disease at 1 village of Mundgod taluk.
(g) Scanty.
(h) Nil.
(i) ...

15 Gulbarga District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Scanty.
(h) Nil.
(i) ...

16 Raichur District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Scanty.
(h) Nil.
(i) Refers to 7 taluks.

17 Bidar District—

(a) Adequate.
(b) Nil.
(c) Generally fair.
(d) Completed.
(e) Available.
(f) Generally Good.
(g) Normal.
(h) Nil.
(i) Refers to 3 taluks.

18 South Kanara District—

(a) Insufficient except in Puttur and Bantwal taluks.
(b) Nil.
(c) Generally fair.
(d) Nil.
(e) Available except in Belthangadi and Udipi taluks.
(f) Generally Good.
(g) Deficient
(h) Nil
(i) ..

19 Coorg District—

(a) Sufficient.
(b) Nil.
(c) Nil.
(d) Nil.
(e) Available.
(f) Generally Good.
(g) Normal.
(h) Nil.
(i) ...

.....

For *Director of Statistics.*

## OFFICE OF THE DEPUTY COMMISSIONER. MANGALORE (S. K.)

Dated 13th August 1965

Statement showing the Wholesale Prices of various commodities for the Week ending 13th August 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Maskathi | 100 kg. | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Rice— I Sort | ... Maskathi | " | No Stocks |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... | Moora of 39·14 kg. | |
| Cane Jaggery | ... I Sort | 100 kg. | 60 00 |
| " | ... II Sort | " | 45 00 |
| Cocoanuts | ... Unhusked | 1000 Nuts | 340 to 550 00 |
| " | ... Husked | " | 380 to 540 00 |
| Copra | ... | 100 kg. | 290 to 300 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 52 00 |
| | II Class | " | 50 00 |
| Cashew Kernels | ... | | |
| Cashew Nuts | ... | 100 kg. | 87 to 93 00 |
| Cardamoms | ... Mysore | 10 kg. | 250 to 300 00 |
| " | ... Coorg | 10 kg. | 240 to 290 00 |
| | | " | |
| Malabar Blac-Pepper | ... | 50 kg. | 222 to 224 00 |
| Tobacco | ... Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | Unhusked | 1,000 Nuts | ... |
| " | ... Husked Old | 50 kg. | ... |
| " | ... " New | " | 314 to 378 00 |
| Chillies | ... Kumpta | | ... |
| " | ... Local | 10 kg. | 20 to 25 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69·92 kg. | 28 to 29 00 |
| Cotton Seeds | ... | " 64·00 kg. | 26 50 |
| Horsegram | ... | " 93·07 kg. | 69 00 |

.....
*Dy. Commr.*

Dated 20th August 1965

Statement showing the Wholesale Prices of various commodities for the week ending 20th August 1965 at Mangalore.

| Commodity | Variety | Unit of weight | Price Rs. P. |
|---|---|---|---|
| Paddy—I Sort | ... Maskathi | 100 kg. | |
| II Sort | ... Guddu | " | No Stocks |
| III Sort | ... Suggi | " | |
| Rice—I Sort | ... Maskathi | 100 kg. | |
| II Sort | ... Guddu | " | |
| III Sort | ... Suggi | " | |
| Ragi | ... ... | Moora of 39·14 kg. | ... |
| Cane Jaggery | ... I Sort | 100 kg. | 80 00 |
| " | ... II Sort | " | 45 00 |
| Cocoanuts | ... Unhusked | 1,000 Nuts | 340 to 550 00 |
| " | ... Husked | " | 380 to 540 00 |
| Copra | ... | 100 kg. | 290 to 300 00 |
| Cocoanut Oil | ... I Class | 10 kg. | 52 00 |
| " | ... II Class | " | 50 00 |
| Cashew Kernels | ... ... | | ... |
| Cashew Nuts | ... ... | 100 kg. | 87 to 93 00 |
| Cardamoms | ... Mysore | 10 kg. | 250 to 300 00 |
| " | Coorg | " | 240 to 290 00 |
| Malabar Black Pepper | ... ... | 50 kg. | 222 to 224 00 |
| Tobacco | .. Chewing | 100 kg. | 400 to 640 00 |
| " | ... Snuff | " | 760 to 800 00 |
| " | ... Beedi | " | 860 to 900 00 |
| Arecanuts | ... Unhusked | 1,000 Nuts | ... |
| " | ... Husked Old | 50 kg. | ... |
| " | ... " New | " | 314 to 378 00 |
| Chillies | ... Kumpta | | ... |
| " | Local | 10 kg. | 20 to 25 00 |
| " | ... Kasaragod | " | ... |
| RETAIL PRICES. | | | |
| Tobacco | ... Chewing | Per 1 kg. | 4 to 5 00 |
| | Snuff | " | 5 to 7 00 |
| | Beedi | " | 7 00 |
| CATTLE FOOD. | | | |
| Groundnut Oil Cake | | Bag of 69.92 kg. | 28 to 29 00 |
| Cotton Seeds | ... | " 64 kg. | 26 50 |
| Horsegram | ... | " 93·07 kg | 69 00 |

.....
*Dy. Commr.*



## OFFICE OF THE DEPUTY DIRECTOR OF PUBLIC HEALTH. BUREAU OF EPIDEMIOLOGY, IN MYSORE, BANGALORE.

Notification dated 23th August 1965.

*Note on the state of Public Health in Mysore State, Week ending Saturday, the 21st August 1965.*

**No.VS 84/SPH/65-66.** The State remained free from Plague during the week as in the previous week. Comparative figures for the corresponding week during 1963 and 1964 were nil attacks with nil deaths and nil attacks and nil deaths respectively.

A total of 13 attacks with 7 deaths from Small-pox was reported from the entire State, *viz.*, from the taluks of Coondapur, Gokak, Chickballapur, Dodballapur and Kunigal and from the city of Kolar Gold Fields, *as against* 12 attacks with 3 deaths reported during the corresponding week of the previous year.

A total of 9 attacks with 5 deaths from Cholera was reported for the entire State, *viz.* from the taluk of Honnali and from the town of Shimoga during the week *as against* 42 attacks with 14 deaths reported during the corresponding week of the last year.

A total of nil attacks with nil deaths from K. F. Disease was reported from Shimoga District *as against* 1 attack with nil deaths reported during the corresponding week of the previous year.

The State remained free from yellow fever, relapsing fever, infectious Hepatites and Influenza in epidemic form *as against* nil attacks, with nil deaths during the corresponding week of the previous year.

The total mortality for Bangalore Corporation amounted to 290 (117 in hospitals) for the week *as against* 377(163 in hospitals) during the corresponding week of the previous year, giving a calculated death rate of 15.7 (9.4 excluding hospital deaths) per mille of population (mid-year estimated) *as against* 20.7 (12.3 excluding hospital deaths) for the corresponding week of last year. Classified according to causes of deaths, 39 were due to Dysentery and Diarrhoea, 17 due to consumption and 234 due to all other causes, *as against* 26 due to other fevers, 33 due to dysentery and Diarrhoea, 10 due to consumption and 309 due to all other causes reported during the corresponding week of the previous year.

The report for Mysore city has not been received.

The total mortality for K. G. F city amounted to 28 (28 in hospitals) for the week *as against* 16 (nil in hospitals)